

**TO REACH THE TOP  
FIRST WE DIG DEEP  
TO THE ROOTS.**



PRESENTING THE

# ANIMA

3 WAY FULLY HORN LOADED LOUDSPEAKER.



## REAL BASS HORN

We at Tune Audio match audio heritage practices with today's technology. That's the way to reach the top and deliver a whole new perspective in sound reproduction. Our products use high quality components with the "simplest way possible" design approach. We are dedicated to show you a new way into music and bring the best out of every recording in your collection.

**109**  
DB SENSITIVITY.

ANIMA's amplifier friendly design and high sensitivity will not limit your choices in any way. Preferably, drive ANIMA with a low stage count amplifier with no or low feedback ratio.



# ANIMA

*[soul] in latin.*

ANIMA's distinguished design is build around it's bass horn which stands tall and fires to the floor. Mid height on the side you have a mid range horn and on top the high range horn. Both bass and mid horns are build of grade A Baltic birch plywood while the hi horn is build from our proprietary epoxy compound.

Crossovers are located on the bottom of the bass horn well away of magnetic fields. This allows the crossover parts be well spaced to avoid any kind of interference and distant from any driver's magnetic field. All components are hard wired for best contact. 1st order crossovers used in all ways.

All internal wiring are custom made of high purity OFC copper with waxed cotton insulation. Brass bracing parts with felt acoustic isolation are used to minimize vibrations transfer on contacts of the different horns.

Horns are mechanically time aligned for time coherent result. User adjustable mid and hi frequencies level to finetune ANIMA to the listening room. Beaming of the high frequencies horn is also available to aim the listening position.

## ANIMA UTILIZES:

**Massive 15" woofer** for low frequencies modified in house.

**5" for mid** frequencies modified in house.

**1" compression driver** with neodymium magnet and titanium diaphragm for high frequencies.

## TECHNICAL DATA.

**System Sensitivity:** 109db

**Impedance Nominal:** 8ohms

**Crossover @:** 250HZ & 1500HZ

**Recommended Power:** >3w

**Recommended Amplifiers:**

Low-mid powered tube SETs or solid state Class A amplifiers. Low or no feedback designs are recommended.

**Recommended Placement:**

Near wall or near room corner placement is desirable.

**Preferred clearance between speakers:**

>2 m.

**Recommended listening distance:**

>3 m.

**Dimensions(cm):** 158x87x87 (HxDxL)

**Weight net:** 75Kgr

ANIMA is offerd with customer selected finish of any colour paint or natural wood veneer.

